

DERWENT-ACC-NO: 1998-159735

DERWENT-WEEK: 199830

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Alarm activating system for preventing driver  
from falling asleep - has sensing device, which is  
elastic tube mounted on driving wheel and switch is  
adjustable air device connected to elastic tube

INVENTOR: ARAM, D

PATENT-ASSIGNEE: ARAM D[ARAMI]

PRIORITY-DATA: 1996US-0689801 (August 14, 1996)

PATENT-FAMILY:

PUB-NO	MAIN-IPC	PUB-DATE	LANGUAGE
WO 9807126 A1		February 19, 1998	E
010	G08B 023/00		
AU 9737820 A		March 6, 1998	N/A
000	G08B 023/00		

DESIGNATED-STATES: AU CA CN JP KR NO SG US AT BE CH DE DK EA ES FI FR  
GB GR IE  
IT LU MC NL PT SE

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
WO 9807126A1	N/A	1997WO-IL00274
August 13, 1997		
AU 9737820A	N/A	1997AU-0037820
August 13, 1997		
AU 9737820A	Based on	WO 9807126
N/A		

INT-CL (IPC): G08B023/00

ABSTRACTED-PUB-NO: WO 9807126A

BASIC-ABSTRACT:

The system comprises a sensing device that is mounted on a steering wheel of a car and is sensitive to a grip of driver's hand on the wheel. The sensing device is connected to a switch, which would activate an alarm. The sensing device is an elastic tube mounted on the driving wheel. The switch is an adjustable air switch connected to the elastic tube.

The alarm is an independent audio device and the system is connected it.

USE - For activating alarm to prevent drivers from falling asleep or slumber due to fatigue, stress, exposure to long monotonous engine noise, heat etc.

ADVANTAGE - Allows sensing driver's awareness, emit sound which would alarm and wake driver. It is automatically activated.

CHOSEN-DRAWING: Dwg.2/4

TITLE-TERMS: ALARM ACTIVATE SYSTEM PREVENT DRIVE FALL SLEEP SENSE DEVICE

ELASTIC TUBE MOUNT DRIVE WHEEL SWITCH ADJUST AIR DEVICE CONNECT

ELASTIC TUBE

DERWENT-CLASS: S02 W05 X22

EPI-CODES: S02-F03A; W05-A02; X22-E04;

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1998-126892



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification<sup>6</sup> : <b>G08B 23/00</b></p>	<p><b>A1</b></p>	<p>(11) International Publication Number: <b>WO 98/07126</b></p> <p>(43) International Publication Date: 19 February 1998 (19.02.98)</p>
<p>(21) International Application Number: PCT/IL97/00274</p> <p>(22) International Filing Date: 13 August 1997 (13.08.97)</p> <p>(30) Priority Data: 08/689,801 14 August 1996 (14.08.96) US</p> <p>(71)(72) Applicant and Inventor: ARAM, Deke] [IL/IL]; Hasilsal Street 3/10, 97380 Ma'aleh Adumim (IL).</p> <p>(74) Agent: COHEN ZEDEK &amp; RAPAPORT, P.O. Box 33116, 61330 Tel Aviv (IL).</p>		<p>(81) Designated States: AU, CA, CN, JP, KR, NO, SG, US, Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: MEANS FOR PREVENTING A DRIVER FROM FALLING ASLEEP</p> <p>(57) Abstract</p> <p>The invention relates to a system and device for alerting drivers who fall asleep while driving. The system and device would automatically be activated when they sense that the driver is in a state of falling asleep or slumbering. The sensing means (3) would be mounted on the steering wheel (1) and would be sensitive to the driver's grip of the steering wheel (1).</p> <div data-bbox="1071 1134 1266 1827"> </div>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LJ	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

## **MEANS FOR PREVENTING A DRIVER FROM FALLING ASLEEP**

### **FIELD AND BACKGROUND OF THE INVENTION**

The present invention relates to means which would prevent a driver from falling asleep while driving.

Many factors, such as fatigue, stress, long continuous driving, exposure to long monotonous engine, heat and the like cause that drivers fall asleep or slumber during driving. Furthermore the "reaction-time" of drivers in such a situation is prolonged, thus raising the chances of their being involved in accidents, collisions and the like.

### **OBJECTS OF THE INVENTION**

It is thus the object of the present invention to provide a system which will sense the driver's awareness, emit a sound which would alarm and wake the driver. It is important that the device be automatically activated.

It is thus a further object of the present invention to present an automatic system.

- 2 -

## **SUMMARY OF INVENTION**

According to the invention there is provided a system and a device which would automatically be activated when it senses that the driver is in a state of falling asleep or is slumbering. The device would alert the driver by activating an acoustic signal or activating the car's radio very loudly or any other similar means.

The system comprises a sensing means mounted on the steering wheel and being sensitive to the grip of the driver's hand on the wheel when the hand grip would be even slightly loosened the alarm would be activated. The power supply activating the alarm could be an independent battery or it could be connected to the car's electrical system.

## **SHORT DESCRIPTION OF THE DRAWINGS**

The invention will now be described with reference to the annexed drawings in which:

**Figure 1** is a schematic top view of a steering wheel, being part of the system.

**Figure 2** is a cross section of the wheel of Figure 1.

**Figure 3** shows schematically the sensing means, while

**Figures 4a and 4b** depict examples of the activating switch.

- 3 -

### **DESCRIPTION OF PREFERRED EMBODIMENT**

Turning to **Figures 1 and 2** a steering wheel **1** is provided with a circumference elastic tube **3** being branched off by section **5** at the free end of which there is provided an adjustable low pressure air switch **7** (see **Figure 3**).

Air switch **7** is connected to air tube **5** in its "open" position (**Figure 4b**). As long as the steering wheel is held firmly by the driver the said air switch would remain in its "open" position. Once the hand grip of the driver is loosened, the air switch would close and establish contact between terminals **10** and **11** which close on electric circuit of any alarm system or any other audible means of generally known type.

By means of adjusting screw **12** the sensitivity of the air switch could be changed.

It is quite obvious that the alarm could also be adjusted.

- 4 -

## **CLAIMS**

1. A system for activating an alarm to prevent drivers from falling asleep or slumber which comprises sensing means being mounted on the steering wheel of a car and being sensitive to the grip of the driver's hand on the wheel said sensing means being connected to a switch which would activate an alarm.
2. A system as claimed in claim 1, wherein said sensing means is an elastic tube mounted on the driving wheel.
3. A system as claimed in claim 1 for activating an alarm to prevent drivers from falling asleep or slumber, where said switch is an air switch connected to said elastic tube.
4. A system as claimed in claim 1, wherein said alarm is an independent audio means.
5. A system as claimed in claim 1, wherein the system is connected to the car's audible devices.
6. A system as claimed in claim 1, wherein said air switch is adjustable.






FIG. 1




FIG. 2

(c)




FIG. 3




FIG. 4

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/IL97/00274

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :G08B 23/00

US CL :340/576, 575

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 340/576, 575, 180/272

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X — Y	US 4,540,979 A (GERGER et al.) 10 September 1985, whole document.	1-4 — 5
X — Y	US 3,585,626 A (TARTARINI) 15 June 1971, whole document.	1-4, 6 — 5

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*B* earlier document published on or after the international filing date	*Y	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A*	document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means		
*P* document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

23 NOVEMBER 1997

Date of mailing of the international search report

23 DEC 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorizing officer  
SHIONO HUANG

Telephone No. (703) 305-4700

**INTERNATIONAL SEARCH REPORT****International application No.**  
PCT/IL97/00274**Box III TEXT OF THE ABSTRACT (Continuation of item 5 of the first sheet)**

The invention relates to a system and device for altering drivers who fall asleep while driving. The system and device would automatically be activated when it senses that the driver is in a state of falling asleep or slumbering. The sensing means (3) would be mounted on the steering wheel (1) and would be sensitive to the driver's grip of the steering wheel (1).